



PC PLUS 2500X1300



Categories: [HOT](#), [Presses](#)



HOT PRESSES 2500X1300 PC 40 PLUS - PC 70 PLUS - PC 80 PLUS - PC 90 PLUS - PC 105 PLUS - PC 120 PLUS

TECHNICAL DATA

	PC 40 PLUS	PC 70 PLUS	PC 80 PLUS	PC 90 PLUS
Dimension	mm 2500x1300	mm 2500x1300	mm 2500x1300	mm 2500x1300
Number of pistons	4	4	4	6
Pistons diameter	mm 70	mm 70	mm 85	mm 70
kg/cm ²	1,25	1,5	2	2,4
Stroke	mm 400	mm 400	mm 400	
Kcal	20000	20000	20000	20000
kW	18	18	18	18
Pump	lt 21	lt 21	lt 21	lt 38
HP	2	2	2	3
Bar	260	260	350	350
Weight	kg 2500	kg 3000	kg 3100	kg 3200

	PC 105 PLUS	PC 120 PLUS
Dimension	mm 2500x1300	mm 2500x1300
Number of pistons	6	6
Pistons diameter	mm 85	mm 85
kg/cm ²	3,2	3,6
Stroke	mm 400	mm 400
Kcal	20000	20000
kW	18	18
Pump	lt 38	lt 38
HP	3	3
Bar	260	350
Weight	kg 3300	kg 3500

Available versions:

- CE version press with water / wood boiler and coil assembled plates with aluminium covering
- CE version press with oil boiler and coil assembled plates with aluminium covering
- CE version press with water / wood boiler and milled assembled steel plates with aluminium or mylar covering
- CE version press with oil boiler and milled assembled steel plates with aluminium or mylar covering
- CE version press with electric plates (without boiler)

CE EQUIPMENT

- Pump, boiler, expansion tank, plant and pipes
- Automatic pressure recovery
- Automatic opening by timer
- Emergency cable
- CE wiring